

INDEX TO VOLUME 90

New scientific names are in **bold face**.

Acer (*Maple*) species, sections *Acer* and *Goniocarpa*. New chromosome counts in. 127-131

Adicea (*Urticaceae*). Typification of J. Lunell's names in. 123-125

ANNOUNCEMENTS:

Jesse M. Greenman Award 103
NEBC: Award 352; Notice for 1989
476

Herbarium Acquisition Policy
105-109

Symposium 104

Penn's Morris Arboretum named official arboretum of the Commonwealth of Pennsylvania. 475

Antennaria (*Asteraceae*: *Inuleae*) in western North America. The genus, II. Additional chromosome counts. 133-137

Argentina and Bolivia and the status of *C. phalaroides* var. *parvula* in southern South America. A first report for *Carex hypsipedos* (*Cyperaceae*) in. 149-155

Arnica (*Asteraceae*) subgenus *Arctica*. Taxonomy of. 245-275

Aster nemoralis is extant in Vermont. 339-340

Bain, John F. Taxonomy of *Senecio streptanthifolius* Greene. 277-312

Ball, Peter W. *see* *Ford*, Bruce A.

Benthic marine algae of southwestern New Brunswick, Canada. A survey of the. 419-451

Betula nigra at Mendum's Pond, Barrington, NH and Pawtuckaway Lake, Nottingham, NH. 345

Blondeau, Marcel *see* *Cody*, William J. *Bogle*, A. Linn *see* *Philbrick*, C. Thomas Bolivia and the status of *C. phalaroides* var. *parvula* in southern South America. A first report for *Carex hypsipedos* (*Cyperaceae*) in Argentina and. 149-155

BOOK REVIEWS:

Aquatic and Wetland Plants of Kentucky 351

Flora of New Brunswick 467-469

Flora of the Vascular Plants of Cattaraugus County, New York. A, 465-466

Illustrated Guide to Some Hornworts, Liverworts and Mosses of Eastern Canada. 471-473

Orchids of Ontario 347-349

Orchids of the Western Great Lakes Region 209-210

Seaside Plants of the Gulf and Atlantic Coasts 213

Boufford, David E. Typification of J. Lunell's names in *Adicea* (*Urticaceae*). 123-125

Brassica in the northeastern United States. Evidence of pre-Columbian. 355-362

Buffalo clovers in Kentucky (*Trifolium stoloniferum* and *T. reflexum*): historical records, presettlement environment, rediscovery, endangered status, cultivation and chromosome number. 399-418

Burk, C. John and Nancy D. McMaster. The spread of *Catalpa ovata* G. Don in western Massachusetts and its biogeographic implications. 461-464

Burk, C. John and Vikram Prabhu. Growth and extension of a naturalized western Massachusetts stand of *Catalpa speciosa* Warder. 457-459

Calopogon tuberosus var. *latifolius* (St. John) Boivin (*Orchidaceae*) new to the United States. 101

Campbell, Julian J. N., Marc Evans, Max E. Medley and Norman L. Taylor. *Buffalo clovers in Kentucky* (*Trifolium stoloniferum* and *T. reflexum*): historical records, presettlement environment, rediscovery,

endangered status, cultivation and chromosome number. 399-418

Canada. A survey of the benthic marine algae of southwestern New Brunswick, 419-451

Carex hyspipedos (Cyperaceae) in Argentina and Bolivia and the status of *C. phalaroides* var. *parvula* in southern South America. A first report for, 149-155

Carex phalaroides var. *parvula* in southern South America. A first report for *Carex hyspipedos* (Cyperaceae) in Argentina and Bolivia and the status of, 149-155

Catalpa ovata G. Don in western Massachusetts and its biogeographic implications. The spread of, 461-464

Catalpa speciosa Warden. Growth and extension of a naturalized western Massachusetts stand of, 457-459

Catling, Paul M. and Vivian R. Catling. *Spiranthes nebulorum* (Orchidaceae), a new species from southern Mexico and Guatemala. 139-147

Catling, Vivian R. see Catling, Paul M.

Cayouette, Jacques see Cody, William J.

Chmielewski, J. G. and C. C. Chinnappa. The genus *Antennaria* (Asteraceae: Inuleae) in western North America. II. Additional chromosome counts. 133-137

Chimaphila. Reproductive biology of two sympatric species of, 233-244

Chinnappa, C. C. see Chmielewski, J. G.

Chromosome counts in *Acer* (Maple) species, sections *Acer* and *Gonicarpa*. New, 127-131

Cody, William J., Marcel Blondeau and Jacques Cayouette. *Ranunculus Xspitzbergensis* (Nath.) Hadač, an addition to the flora of North America. 27-36

Cormier, Charles R. *Betula nigra* at Mendum's Pond, Barrington, NH and Pawtuckaway Lake, Nottingham, NH. 345

Correct name for Elliott's Goldenrod. The, 157-168

Davenport, L. J. A monograph of *Hydrolea* (Hydrophyllaceae). 169-208

Denford, Keith E. see Downie, Stephen R.

Description and distribution of *Euphrasia stricta* in North America. 223-231

Diatoms, freshwater, (Bacillariophyceae) from the northeastern Glacial Lake District of Wisconsin. II. *Cymbeliontzchia*, *Hantzschia*, and *Nitzschia* (Order Pennales, Family Nitzschiaeae). 379-397

Distribution of *Euphrasia stricta* in North America. Description and, 223-231

Downie, Stephen R. and Keith E. Denford. Taxonomy of *Arnica* (Asteraceae) subgenus *Arctica*. 245-275

Downie, Stephen R. and John McNeill. Description and distribution of *Euphrasia stricta* in North America. 223-231

Dryopteris fragrans in Vermont. Two new stations for, 455-456

Eastman, Leslie. *Calopogon tuberosus* var. *latifolius* (St. John) Boivin (Orchidaceae) new to the United States. 101

Elliott's Goldenrod. The correct name for, 157-168

Euphrasia stricta in North America. Description and distribution of, 223-231

Europe. A reevaluation of the *Triglochin maritimum* complex (Juncaginaceae) in eastern and central North America and, 313-337

Evans, Marc see Campbell, Julian J. N.

Evidence of pre-Columbian *Brassica* in the northeastern United States. 355-362

Farnham, W. F. see South, G. Robin

Fenwick, Mason G. Morphological variability of a *Scenedesmus denticulatus* Lagerh. isolate in culture and some taxonomic revisions. 363-368

First report for *Carex hyspipedos* (Cy-

peraceae) in Argentina and Bolivia and the status of *C. phalaroides* var. *parvula* in South America. A, 149-155

Floral variation in five populations of *Podostemum ceratophyllum* Michx. (Podostemaceae). A survey of, 113-121

Floristic inventory of the Gateway National Recreation Area, New York — New Jersey. A, 21-26

Ford, Bruce A. and Peter W. Ball. A reevaluation of the *Triglochin maritimum* complex (Juncaginaceae) in eastern and central North America and Europe. 313-337

Freshwater diatoms (Bacillariophyceae) from the northeastern glacial lake district of Wisconsin. II. *Cymbellonitzschia*, *Hantzschia*, and *Nitzschia* (Order Pennales, Family Nitzchiaceae). 379-397

Gateway National Recreation Area, New York — New Jersey. Floristic inventory of the, 21-26

Genus *Antennaria* (Asteraceae: Inuleae) in western North America, The, II. Additional chromosome counts. 133-137

Gilman, Arthur V. Two new stations for *Dryopteris fragrans* in Vermont. 455-456

Gonicarpa. New chromosome counts in *Acer* (Maple) species, sections *Acer* and, 127-131

Greller, Andrew *see* Stalter, Richard

Growth and extension of a naturalized western Massachusetts stand of *Catalpa speciosa* Warder. 457-459

Guatemala. *Spiranthes nebulorum* (Orchidaceae), a new species from southern Mexico and, 139-147

Hellquist, C. Barre, C. Thomas Philbrick and Robert L. Hilton. The taxonomic status of *Potamogeton lateralis* Morong (Potamogetonaceae). 15-20

Herbarium acquisition policy, NEBC 105-109

Hilton, Robert L. *see* Hellquist, C. Barre

Hispaniola. A new *Pilea* (Urticaceae) from, 215-222

Hjersted, Ingrid M. *see* Standley, Lisa A.

Hydrolea (Hydrophyllaceae). A monograph of, 169-208

Hydrolea spinosa var. *major* (Brand) Davenport *comb. nov.* 187

Jacobson, Heather A., James B. Petersen and David E. Putnam. Evidence of pre-Columbian *Brassica* in the northeastern United States. 355-362

Johnson, David M. and Nancy A. Murray. *Polemonium vanbruntiae* (Polemoniaceae) in Maine. 453-455

Judd, Walter S. *see* Skean, James D.

Kaderait, Joachim W. *Papaver L. sect. Californicum* Kaderait, a new section of the genus. 7-13

Keats, D. W. *see* South, G. Robin

Kentucky, buffalo clovers in, (*Trifolium stoloniferum* and *T. reflexum*): historical records, presettlement environment, rediscovery, endangered status, cultivation and chromosome number. 399-418

Kim, Sarah S. -H. *see* Standley, Lisa A.

Kudzu (*Pueraria lobata*) in New England. 341-343

Lewis, Walter H. Regrowth of a decimated population of *Panax quinquefolium* in a Missouri climax forest. 1-5

Lipsey, Louis L., Jr. Freshwater diatoms (Bacillariophyceae) from the northeastern glacial lake district of Wisconsin. II. *Cymbellonitzschia*, *Hantzschia*, and *Nitzschia* (Order Pennales, Family Nitzchiaceae). 379-397

Maine. *Polemonium vanbruntiae* (Polemoniaceae) in, 453-454

Massachusetts stand of *Catalpa speciosa* Warder. Growth and extension of a

naturalized western. 457-459

Massachusetts. The spread of *Catalpa ovata* G. Don in western, and its biogeographic implications. 461-464

McMaster, Nancy D. *see* Burk, C. John

McNeill, John *see* Downie, Stephen R.

Medley, Max E. *see* Campbell, Julian J. N.

Mexico, southern, and Guatemala. *Spiranthes nebulorum* (Orchidaceae), a new species from. 139-147

Minnesota. New and noteworthy plant records for. 369-377

Missouri climax forest. Regrowth of a decimated population of *Panax quinquefolium* in a. 1-5

Monograph of *Hydrolea* (Hydrophylaceae). A. 169-208

Morphological variability of a *Scenedesmus denticulatus* Lagerh. isolate in culture and some taxonomic revisions. 363-368

Murray, Nancy A. *see* Johnson, David M.

NEBC Herbarium acquisition policy 105-109

New and noteworthy plant records for Minnesota. 369-377

New Brunswick, Canada. A survey of the benthic marine algae of southwestern. 419-451

New chromosome counts in *Acer* (Maple) species, sections *Acer* and *Goniocarpa*. 127-131

NEW ENGLAND NOTES:

- Aster *nemoralis* is extant in Vermont. 339-340
- Betula nigra* at Mendum's Pond, Barrington, NH and Pawtuckaway Lake, Nottingham, NH. 345
- Calopogon tuberosus* var. *latifolius* (St. John) Boivin Orchidaceae new to the United States. 101
- Growth and extension of a naturalized western Massachusetts stand of *Catalpa speciosa* Warrer. 457-459
- Kudzu (*Pueraria lobata*) in New England. 341-343
- Polemonium vanbruntiae* (Polemoniaceae) in Maine. 453-454
- Spread of *Catalpa ovata* G. Don in western Massachusetts and its biogeographic implications. The. 461-464
- Two new stations for *Dryopteris fragrans* in Vermont. 455-456
- New Hampshire. *Betula nigra* at Mendum's Pond, Barrington, NH and Pawtuckaway Lake, Nottingham, NH. 345
- New York — New Jersey. Floristic inventory of the Gateway National Recreation Area. 21-26
- North America. Description and distribution of *Euphrasia stricta* in. 223-231
- North America. *Ranunculus Xspitzerbergensis* (Nath.) Hadač, an addition to the flora of. 27-36
- North America and Europe. A reevaluation of the *Triglochin maritimum* complex (Juncaginaceae) in eastern and central. 313-337
- North America, western. The genus *Antennaria* (Asteraceae:Inuleae) in, II. Additional chromosome counts. 133-137
- Ownbey, Gerald B. and Welby R. Smith. New and noteworthy plant records for Minnesota. 369-377
- Panax quinquefolium* in a Missouri climax forest. Regrowth of a decimated population of. 1-5
- Papaver* L. sect. *Californicum* Kadereit, a new section of the genus. 7-13
- Papaver* sect. *Californicum* Kadereit, *sect. nov.* 11, fig. 9
- Perkins, William D. *see* Sorrie, Bruce A.
- Petersen, James B. *see* Jacobson, Heather A.
- Philbrick, C. Thomas. *see* Hellquist, C. Barre
- Philbrick, C. Thomas and A. Linn Bogle. A survey of floral variation in five populations of *Podostemum cer-*

atophyllum Michx. (Podostemaceae). 113-121

Pilea (Urticaceae) from Hispaniola. A new, 215-222

Pilea howardiana Skean & Judd, *sp. nov.* 216, fig. 219.

Plant records for Minnesota. New and noteworthy, 369-377

Podostemum ceratophyllum Michx. (Podostemaceae). A survey of floral variation in five populations of, 113-121

Polemonium vanbruntiae (Polemoniaceae) in Maine. 453-454

Porter, Duncan M. *see* Uttal, Leonard J.

Potamogeton lateralis Morong (Potamogetonaceae). The taxonomic status of, 15-20

Prabhu, Vikram *see* Burk, C. John

(*Pueraria lobata*) in New England. Kudzu, 341-343

Putnam, David E. *see* Jacobson, Heather A.

Ranunculus Xspitzbergensis (Nath.) Hadač, an addition to the flora of North America. 27-36

Reevaluation of the *Triglochin maritimum* complex (Juncaginaceae) in eastern and central North America and Europe. A, 313-337

Regrowth of a decimated population of *Panax quinquefolium* in a Missouri climax forest. 1-5

Reproductive biology of two sympatric species of *Chimaphila*. 233-244

Reviewers, List of 476

Santamour, Jr. Frank S.

Scenedesmus denticulatus Lagerh. isolate in culture and some taxonomic revisions. Morphological variability of a, 363-368

Senecio streptanthifolius Greene. Taxonomy of, 277-312

Skean, James D. and Walter S. Judd. A new *Pilea* (Urticaceae) from Hispaniola. 215-222

Smith, Welby R. *see* Ownbey, Gerald B.

Sortie, Bruce A. and William D. Perkins.

Kudzu (*Pueraria lobata*) in New England. 341-343

South America, southern, A first report for *Carex hyspipedos* (Cyperaceae) in Argentina and Bolivia and the status of *C. phalaroides* var. *parvula* in, 149-155

South, G. Robin, I. Tittley, W. F. Farnham and D. W. Keats. A survey of the benthic marine algae of southwestern New Brunswick, Canada. 419-451

Spiranthes nebulorum (Orchidaceae), a new species from southern Mexico and Guatemala. 139-147

Spread of *Catalpa ovata* G. Don in western Massachusetts and its biogeographic implications. 461-464

Spiranthes nebulorum Catling & Catling *sp. nov.* 139, fig. 141

Stalter, Richard and Andrew Greller. Floristic inventory of the Gateway National Recreation Area, New York — New Jersey.

Standley, Lisa A., Sarah S. -H. Kim and Ingrid M. Hjersted. Reproductive biology of two sympatric species of *Chimaphila*. 233-244

Stutts, John G. Taxonomic revision of *Vernonia* subsect. *Chamaedrys* (Compositae: Vernonieae). 37-99

Survey of floral variation in five populations of *Podostemum ceratophyllum* Michx. (Podostemaceae). A, 113-121

Survey of the benthic marine algae of southwestern New Brunswick, Canada. A, 419-451. Chlorophyceae 421; Cyanophyceae 440; Phaeophyceae 429; Rhodophyceae 434; Xanthophyceae 441

Sympatric species of *Chimaphila*. Reproductive biology of two, 233-244

Taxonomic revision of *Vernonia* subsect. *Chamaedrys* (Compositae: Vernonieae). 37-99.

Part I: Exclusions and new infrageneric taxa 40;

series *Brasilianae* Stutts, *ser. nov.* 41

subseries *Chaquenses* Stutts, *subser. nov.* 44

subseries *Laxae* Stutts, *subser. nov.* 43

series *Nitidulae* (Cabrera) Stutts, *stat. nov.* 42

series *Puberulae* Stutts, *ser. nov.* 45

series *Tomentellae* Stutts, *ser. nov.* 41

Part II: Chemosystematics, palynology, cytology, and hybridization 45;

Part III: Taxonomic treatment 65.

Taxonomic status of *Potamogeton lateralis* Morong (Potamogetonaceae). The, 15-20

Taxonomy of *Arnica* (Asteraceae) subgenus *Arctica*. 245-275

Taxonomy of *Senecio streptanthifolius* Greene. 277-312

Key to the varieties of *Senecio streptanthifolius* 286

var. *borealis* (T. & G.) J. F. Bain *comb. nov.* 293

var. *kluanei* J. F. Bain *var. nov.* 297

var. *laetiflorus* (Greene) J. F. Bain *comb. nov.* 302

var. *oodes* (Rydberg) J. F. Bain *comb. nov.* 308

var. *rubricaulis* (Greene) J. F. Bain *comb. nov.* 299

var. *wallowensis* J. F. Bain *var. nov.* 306

Taylor, Norman L. *see* Campbell, Julian J. N.

Tittley, I. *see* South, G. Robin

Triglochin maritimum complex (Juncaginaceae) in eastern and central North America and Europe. A reevaluation of the, 313-337

(*Trifolium stoloniferum* and *T. reflexum*), Buffalo clovers in Kentucky: historical records, presettlement environment, rediscovery, endangered status, cultivation and chromosome numbers. 399-418

Two new stations for *Dryopteris fragrans* in Vermont. 455-456

Typification of J. Lunell's names in *Adicea* (Urticaceae). 123-25

United States. *Calopogon tuberosus* var. *latifolius* (St. John) Boivin (Orchidaceae) new to the, 101

United States. Evidence of pre-Columbian *Brassica* in the northeastern, 355-362

Uttal, Leonard J. and Duncan M. Porter. The correct name for Elliott's Goldenrod. 157-168

Vermont. *Aster nemoralis* is extant in, 339-340

Vermont. Two new stations for *Dryopteris fragrans* in, 455-456

Vernonia subsect. *Chamaedrys* (Compositae: Vernonieae). Taxonomic revision of, 37-99

Wheeler, Gerald A. A first report for *Carex hyspipedos* (Cyperaceae) in Argentina and Bolivia and the status of *C. phalaroides* var. *parvula* in southern South America. 149-155

Wisconsin. Freshwater diatoms (Bacillariophyceae) from the northeastern glacial lake district of, II. *Cymbelionitzschia*, *Hantzschia*, and *Nitzschia* (Order Pennales, Family Nitzschiaeae). 379-397

Zika, Peter F. *Aster nemoralis* is extant in Vermont. 339-340

